


Provo-Orem, UT



Deaths reported to DAWN

Drug misuse	52
Suicide	2

Metro area population, 2003
406,851

Population covered by DAWN
406,851


Percent of population covered by DAWN
100%

Metro area overview: Deaths and population by county, 2003

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (2)	52	127.8	2	4.9	406,851
1. Juab County, UT	0	0.0	0	0.0	8,792
2. Utah County, UT	52	130.6	2	5.0	398,059

¹ Deaths per 1,000,000 population.


Deaths by case type, 2003



Place of death, 2003

Drug misuse		Deaths
Health care facility		9
Home		41
Public place		--
Other		--
Not documented		0
Suicide		Deaths
Health care facility		--
Home		--
Public place		0
Other		0
Not documented		0


Top 5 drugs involved: Drug misuse deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Death rates by gender and age: Drug misuse, 2003



Death rates by gender and age: Suicide, 2003



Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	52	Any drug-related cause	--
Abuse	--	Abuse	0
Drug or alcohol	52	Drug or alcohol	--
Toxic effects	52	Toxic effects	--
Body systems (includes infections)	4	Body systems (includes infections)	0
Accidents and injuries	0	Accidents and injuries	--

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
ALL DRUGS	23	--	52	--	--	0
Alcohol ²			7	--	--	0
Cocaine	12	--	12	--	--	0
Marijuana	--	--	--	--	--	0
Stimulants	7	--	7	--	--	0
Club drugs ³	0	--	0	--	--	0
Hallucinogens ⁴	0	--	0	--	--	0
Inhalants	0	--	0	--	--	0
Antidepressants			15	--	--	0
Antipsychotics			4	--	--	0
Benzodiazepines			20	--	--	0
Misc. anxiolytics, sedatives, and hypnotics			14	--	--	0
Opiates/opioids			50	--	--	0
Heroin (specified)	8	--	8	--	--	0
Methadone			12	--	--	0
All other opiates/opioids			38	--	--	0
Nonsteroidal anti-inflammatory agents			--	--	--	0
Salicylates/combinations			0	--	--	0
Misc. analgesics/combinations			--	--	--	0
Anticonvulsants			0	--	--	0
Muscle relaxants			11	--	--	0

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

Salt Lake City, UT



Deaths reported to DAWN

Drug misuse	184
Suicide	33

Metro area population, 2003
1,005,232

Population covered by DAWN
1,005,232

Percent of population covered by DAWN
100%


Metro area overview: Deaths and population by county, 2003

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (3)	184	183.0	33	32.8	1,005,232
1. Salt Lake County, UT*	175	189.3	30	32.5	924,247
2. Summit County, UT	4	121.1	2	60.6	33,020
3. Tooele County, UT	5	104.2	1	20.8	47,965

* Indicates area featured in Spotlight section.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2003




Place of death, 2003

Drug misuse		Deaths
Health care facility		55
Home		106
Public place		9
Other		14
Not documented		0
Suicide		Deaths
Health care facility		4
Home		23
Public place		4
Other		--
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2003




Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Death rates by gender and age: Drug misuse, 2003



Death rates by gender and age: Suicide, 2003



Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	183	Any drug-related cause	31
Abuse	7	Abuse	0
Drug or alcohol	183	Drug or alcohol	31
Toxic effects	179	Toxic effects	30
Body systems (includes infections)	25	Body systems (includes infections)	--
Accidents and injuries	--	Accidents and injuries	20

Drug-related deaths by drug category, 2003

Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
ALL DRUGS	110	6	184	11	33	5
Alcohol ²			33	0	10	0
Cocaine	69	--	65	--	4	--
Marijuana	8	0	8	0	0	0
Stimulants	42	0	38	0	4	0
Club drugs ³	--	0	--	0	0	0
Hallucinogens ⁴	0	0	0	0	0	0
Inhalants	--	0	--	0	--	0
Antidepressants			65	0	12	0
Antipsychotics			8	0	5	0
Benzodiazepines			38	0	9	0
Misc. anxiolytics, sedatives, and hypnotics			44	--	13	--
Opiates/opioids			148	8	13	--
Heroin (specified)	22	4	22	4	0	0
Methadone			50	--	--	0
All other opiates/opioids			99	--	13	--
Nonsteroidal anti-inflammatory agents			--	0	0	0
Salicylates/combinations			0	0	0	0
Misc. analgesics/combinations			18	--	10	--
Anticonvulsants			12	0	0	0
Muscle relaxants			26	0	4	0

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

San Diego-Carlsbad-San Marcos, CA



Deaths reported to DAWN

Drug misuse	352
Suicide	86

Metro area population, 2003
2,930,886

Population covered by DAWN
2,930,886


Percent of population covered by DAWN
100%

Metro area overview: Deaths and population by county, 2003

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (1)	352	120.1	86	29.3	2,930,886
1. San Diego County, CA	352	120.1	86	29.3	2,930,886

¹ Deaths per 1,000,000 population.


Deaths by case type, 2003




Place of death, 2003

Drug misuse		Deaths
Health care facility		81
Home		164
Public place		51
Other		56
Not documented		0
Suicide		Deaths
Health care facility		17
Home		44
Public place		10
Other		15
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2003




Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Death rates by gender and age: Drug misuse, 2003



Death rates by gender and age: Suicide, 2003



Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	269	Any drug-related cause	57
Abuse	47	Abuse	0
Drug or alcohol	267	Drug or alcohol	56
Toxic effects	253	Toxic effects	57
Body systems (includes infections)	104	Body systems (includes infections)	6
Accidents and injuries	34	Accidents and injuries	30

Drug-related deaths by drug category, 2003

Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
ALL DRUGS	226	75	352	100	86	29
Alcohol ²			94	--	21	--
Cocaine	56	16	52	16	4	0
Marijuana	--	0	--	0	0	0
Stimulants	119	41	108	41	11	0
Club drugs ³	5	--	--	0	--	--
Hallucinogens ⁴	0	0	0	0	0	0
Inhalants	--	0	--	0	0	0
Antidepressants			75	4	32	5
Antipsychotics			28	5	13	4
Benzodiazepines			92	--	29	--
Misc. anxiolytics, sedatives, and hypnotics			32	--	16	4
Opiates/opioids			194	28	27	5
Heroin (specified)	62	17	62	17	0	0
Methadone			23	--	0	0
All other opiates/opioids			124	8	27	5
Nonsteroidal anti-inflammatory agents			7	0	--	0
Salicylates/combinations			--	0	0	0
Misc. analgesics/combinations			24	--	11	0
Anticonvulsants			8	0	6	--
Muscle relaxants			12	0	--	0

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

San Francisco-Oakland-Fremont, CA



Deaths reported to DAWN

Drug misuse 91
Suicide 17

Metro area population, 2003
4,157,377

Population covered by DAWN
943,529

Percent of population covered by DAWN
23%


Metro area overview: Deaths and population by county, 2003

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (2)	91	96.4	17	18.0	943,529
1. Alameda County, CA					1,461,030
2. Contra Costa County, CA					1,001,136
3. Marin County, CA	33	134.1	2	8.1	246,073
4. San Francisco County, CA					751,682
5. San Mateo County, CA	58	83.2	15	21.5	697,456

Shaded areas did not participate in DAWN this year.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2003




Place of death, 2003

Drug misuse		Deaths
Health care facility		18
Home		45
Public place		17
Other		11
Not documented		0
Suicide		Deaths
Health care facility		--
Home		8
Public place		--
Other		4
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2003




Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Death rates by gender and age: Drug misuse, 2003



Death rates by gender and age: Suicide, 2003



Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	76	Any drug-related cause	9
Abuse	--	Abuse	0
Drug or alcohol	76	Drug or alcohol	9
Toxic effects	75	Toxic effects	8
Body systems (includes infections)	43	Body systems (includes infections)	5
Accidents and injuries	11	Accidents and injuries	9

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
ALL DRUGS	57	12	91	15	17	--
Alcohol ²			26	--	7	--
Cocaine	32	9	27	8	5	--
Marijuana	--	0	--	0	0	--
Stimulants	24	--	20	--	4	--
Club drugs ³	--	0	--	0	0	--
Hallucinogens ⁴	0	0	0	0	0	--
Inhalants	0	0	0	0	0	--
Antidepressants			22	0	5	--
Antipsychotics			6	0	--	--
Benzodiazepines			17	0	--	--
Misc. anxiolytics, sedatives, and hypnotics			6	0	5	--
Opiates/opioids			48	--	7	--
Heroin (specified)	8	--	8	--	0	--
Methadone			7	0	0	--
All other opiates/opioids			39	--	7	--
Nonsteroidal anti-inflammatory agents			0	0	0	--
Salicylates/combinations			0	0	0	--
Misc. analgesics/combinations			15	--	4	--
Anticonvulsants			--	0	--	--
Muscle relaxants			--	0	0	--

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

Seattle-Tacoma-Bellevue, WA



Deaths reported to DAWN

Drug misuse 219
Suicide 43

Metro area population, 2003
3,141,777

Population covered by DAWN
2,400,820

Percent of population covered by DAWN
76%

Metro area overview: Deaths and population by county, 2003


Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (2)	219	91.2	43	17.9	2,400,820
1. King County, WA*	154	87.4	28	15.9	1,761,411
2. Pierce County, WA					740,957
3. Snohomish County, WA*	65	101.7	15	23.5	639,409

Shaded areas did not participate in DAWN this year.

* Indicates area featured in Spotlight section.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2003




Place of death, 2003

Drug misuse		Deaths
Health care facility		27
Home		143
Public place		12
Other		37
Not documented		0
Suicide		Deaths
Health care facility		5
Home		31
Public place		--
Other		6
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2003




Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Death rates by gender and age: Drug misuse, 2003



Death rates by gender and age: Suicide, 2003



Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	217	Any drug-related cause	43
Abuse	0	Abuse	0
Drug or alcohol	217	Drug or alcohol	43
Toxic effects	217	Toxic effects	43
Body systems (includes infections)	8	Body systems (includes infections)	--
Accidents and injuries	--	Accidents and injuries	--

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
ALL DRUGS	107	21	219	44	43	4
Alcohol ²			48	0	13	0
Cocaine	68	8	65	8	--	0
Marijuana	0	0	0	0	0	0
Stimulants	29	8	26	8	--	0
Club drugs ³	4	--	4	--	0	0
Hallucinogens ⁴	0	0	0	0	0	0
Inhalants	--	--	--	--	0	0
Antidepressants			86	--	27	--
Antipsychotics			10	--	--	0
Benzodiazepines			52	0	9	0
Misc. anxiolytics, sedatives, and hypnotics			38	--	11	0
Opiates/opioids			165	17	17	0
Heroin (specified)	20	--	19	--	--	0
Methadone			67	6	--	0
All other opiates/opioids			99	8	16	0
Nonsteroidal anti-inflammatory agents			5	0	0	0
Salicylates/combinations			--	0	4	0
Misc. analgesics/combinations			8	--	7	0
Anticonvulsants			22	0	--	--
Muscle relaxants			14	0	5	0

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

St. Louis, MO-IL



Deaths reported to DAWN

Drug misuse 195
Suicide 59

Metro area population, 2003
2,735,927

Population covered by DAWN
2,299,516

Percent of population covered by DAWN
84%


Metro area overview: Deaths and population by county, 2003

Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (8)	195	84.8	59	25.7	2,299,516
1. Bond County, IL					17,941
2. Calhoun County, IL					5,069
3. Clinton County, IL	0	0.0	1	27.7	36,135
4. Jersey County, IL					22,188
5. Macoupin County, IL					49,055
6. Madison County, IL					261,689
7. Monroe County, IL					29,723
8. St. Clair County, IL	9	34.8	0	0.0	258,606
9. Franklin County, MO	6	61.9	1	10.3	96,905
10. Jefferson County, MO	13	62.9	4	19.3	206,786
11. Lincoln County, MO	4	90.5	0	0.0	44,207
12. St. Charles County, MO	13	41.7	7	22.5	311,531
13. St. Louis City, MO*	88	264.9	14	42.1	332,223
14. St. Louis County, MO*	62	61.2	32	31.6	1,013,123
15. Warren County, MO					26,862
16. Washington County, MO					23,884

Shaded areas did not participate in DAWN this year.
* Indicates area featured in Spotlight section.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2003




Place of death, 2003

Drug misuse		Deaths
Health care facility		81
Home		67
Public place		14
Other		33
Not documented		0
Suicide		Deaths
Health care facility		14
Home		38
Public place		--
Other		6
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2003




Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Death rates by gender and age: Drug misuse, 2003



Death rates by gender and age: Suicide, 2003



Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	182	Any drug-related cause	53
Abuse	--	Abuse	0
Drug or alcohol	181	Drug or alcohol	53
Toxic effects	144	Toxic effects	51
Body systems (includes infections)	43	Body systems (includes infections)	4
Accidents and injuries	15	Accidents and injuries	7

Drug-related deaths by drug category, 2003


Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
ALL DRUGS	128	64	195	93	59	28
Alcohol ²			54	5	20	--
Cocaine	83	41	78	38	5	--
Marijuana	9	0	9	0	0	0
Stimulants	11	6	9	5	--	--
Club drugs ³	0	0	0	0	0	0
Hallucinogens ⁴	--	--	--	--	0	0
Inhalants	0	0	0	0	0	0
Antidepressants			10	--	22	7
Antipsychotics			--	0	5	0
Benzodiazepines			21	0	5	--
Misc. anxiolytics, sedatives, and hypnotics			--	0	4	--
Opiates/opioids			113	38	22	5
Heroin (specified)	40	16	40	16	0	0
Methadone			24	9	--	--
All other opiates/opioids			61	13	20	4
Nonsteroidal anti-inflammatory agents			0	0	--	0
Salicylates/combinations			--	0	0	0
Misc. analgesics/combinations			12	--	13	4
Anticonvulsants			--	0	0	0
Muscle relaxants			--	0	0	0

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

Washington-Arlington-Alexandria, DC-VA-MD-WV



Deaths reported to DAWN

Drug misuse 303
Suicide 36

Metro area population, 2003
5,057,414

Population covered by DAWN
4,774,745

Percent of population covered by DAWN
94%

Metro area overview: Deaths and population by county, 2003


Metro area component	Drug misuse		Suicide		Total population
	Deaths	Rate ¹	Deaths	Rate ¹	
Total participating (14)	303	63.5	36	7.5	4,774,745
1. District of Columbia*	147	260.9	8	14.2	563,384
2. Calvert County, MD	5	59.4	0	0.0	84,110
3. Charles County, MD	10	75.2	1	7.5	133,049
4. Frederick County, MD	11	51.5	0	0.0	213,662
5. Montgomery County, MD	32	34.8	4	4.4	918,881
6. Prince George's County, MD	41	48.9	1	1.2	838,716
7. Alexandria City, VA	2	15.5	7	54.3	128,923
8. Arlington County, VA	6	31.9	2	10.6	187,873
9. Clarke County, VA					13,364
10. Fairfax County, VA	27	27.0	11	11.0	1,000,405
11. Falls Church City, VA	1	95.4	0	0.0	10,485
12. Fauquier County, VA					61,137
13. Fredericksburg City, VA					20,189
14. Loudoun County, VA	3	13.5	1	4.5	221,746
15. Manassas City, VA	9	242.2	0	0.0	37,166
16. Prince William County, VA	8	24.6	1	3.1	325,324
17. Spotsylvania County, VA					107,838
18. Stafford County, VA	1	9.0	0	0.0	111,021
19. Warren County, VA					33,871
20. Jefferson County, WV					46,270

Shaded areas did not participate in DAWN this year.

* Indicates area featured in Spotlight section.

¹ Deaths per 1,000,000 population.


Deaths by case type, 2003




Place of death, 2003

Drug misuse		Deaths
Health care facility		112
Home		145
Public place		11
Other		35
Not documented		0
Suicide		Deaths
Health care facility		8
Home		24
Public place		0
Other		4
Not documented		0

Top 5 drugs involved: Drug misuse deaths, 2003




Top 5 drugs involved: Suicide deaths, 2003




-- Indicates a number less than 4 has been suppressed.

SOURCE: Office of Applied Studies, SAMHSA, Drug Abuse Warning Network 2003 (09/2004 update).

Death rates by gender and age: Drug misuse, 2003



Death rates by gender and age: Suicide, 2003



Causes of death, 2003

Drug misuse	Deaths	Suicide	Deaths
Any drug-related cause	297	Any drug-related cause	32
Abuse	--	Abuse	0
Drug or alcohol	297	Drug or alcohol	32
Toxic effects	285	Toxic effects	32
Body systems (includes infections)	18	Body systems (includes infections)	--
Accidents and injuries	7	Accidents and injuries	7

Drug-related deaths by drug category, 2003

Drug category	Illicit drugs (all case types)		Drug misuse		Suicide	
	Deaths	Single-drug deaths	Deaths	Single-drug deaths	Deaths	Single-drug deaths
ALL DRUGS	152	51	303	82	36	7
Alcohol ²			106	6	12	--
Cocaine	142	49	142	49	0	0
Marijuana	--	0	--	0	0	0
Stimulants	--	0	--	0	0	0
Club drugs ³	--	0	0	0	--	0
Hallucinogens ⁴	8	--	7	--	--	--
Inhalants	--	0	--	0	0	0
Antidepressants			61	--	18	0
Antipsychotics			7	0	4	0
Benzodiazepines			26	0	--	--
Misc. anxiolytics, sedatives, and hypnotics			30	0	14	--
Opiates/opioids			203	23	14	--
Heroin (specified)	7	0	7	0	0	0
Methadone			47	7	4	0
All other opiates/opioids			170	16	11	--
Nonsteroidal anti-inflammatory agents			0	0	0	0
Salicylates/combinations			--	--	0	0
Misc. analgesics/combinations			29	0	6	0
Anticonvulsants			--	0	4	--
Muscle relaxants			7	0	--	0

² Includes alcohol in combination with other drugs (all ages) and alcohol alone in decedents under age 21.

³ Includes MDMA (Ecstasy), GHB, flunitrazepam (Rohypnol), and ketamine.

⁴ Includes PCP, LSD, and miscellaneous hallucinogens.

